**DATE**: 01 Feb 02

STATEMENT OF WORK (SOW)

for the
Rebuild
of the
AN/TPS-63B
Gearbox Assembly
NSN 5840-01-114-2406

SOW-04-C4I-89177B-1/1

- 1. This SOW identifies the work effort that shall be performed by the contractor to rebuild the AN/TPS-63B Gearbox Assembly, NSN 5840-01-114-2406, part number AL-10056, CAGE 08484.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

Logistics Management Specialist

Battlespace Management and Air Defense Systems (Code BMADS)

Marine Corps Systems Command, Albany, GA

RICHARD E. JONES

Team Leader

**Equipment Specialist** 

Battlespace Management and Air Defense Systems (Code BMADS)

Marine Corps Systems Command, Albany, GA

STATEMENT OF WORK (SOW)

for the
Rebuild
of the
AN/TPS-63B
Gearbox Assembly
NSN 5840-01-114-2406

- 1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the contractor to rebuild the AN/TPS-63B Gearbox Assembly, NSN 5840-01-114-2406, part number AL-10056, CAGE 08484, hereafter referred to as the Gearbox Assembly. This document contains requirements to restore the Gearbox Assembly to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- Background. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repair or replacement of worn or unserviceable parts/elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the item."
- 2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

#### 2.1 Military Standards

MIL-STD-2073-ID MIL-STD-129 DOD Standard Practice for Military Packaging

DOD Standard Practice for Military Marking

2.2 Other Government Documents and Publications

**Engineering Drawing** 

AL-10056, CAGE 08484

Gearbox Assembly

Military Handbooks (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

#### 2.3 Industry Standards

ANSI/ISO/ASQC O9003-1994 Quality Systems - Model for Quality Assurance in Final

Inspection and Test

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697- 2179 or DSN 442-2179, or <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

# 3.0 Requirements

The contractor shall rebuild the Gearbox Assembly strictly in accordance with the requirements as specified in Engineering Drawing AL-10056, CAGE 08484. Additionally, all seals/gaskets and bearings/bearing assemblies shall be replaced. Mechanical repairs, including any necessary repairs to the Gearbox Assembly castings, shall be performed as required. Surface preparation, to correct/prevent corrosion damage, painting and re-stenciling/replacement of decals shall also be accomplished on all Gearbox Assemblies inducted for repair. All Gearbox Assemblies will be filled with the appropriate lubricant to the proper operating level and tagged accordingly. The contractor shall be responsible for developing a test plan and documenting the test results in a Test Data Report (TDR). The contractor shall be responsible for all parts, materials, labor, facilities, tools and test equipment necessary to rebuild the equipment in accordance with this SOW.

#### 3.2 Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 The contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI, Electronic Equipment. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements.

NOTE: Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use requirement shall be identified, in writing, by the Logistics Management Specialist (LMS), MCSC (Code BMADS), Albany, Georgia.

- 3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the contractor.
- 3.3 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.
- Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. (This can be done by mailing (Materiel Management Department, Management Control Activity (Code 573-2), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320) or faxing (commercial 229-639-5498 or DSN 567-5498) a copy of the DD1348).
- 3.5 Quality Assurance Provisions. The contractor shall establish and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test.

### **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data searces, gethering and maintaining the data massled, and completing and reviewing the collection of information. Send comments reporting this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Westington Headquarters Services, Directorate for Information Department of Defense, Westington, VA 22202-4392. Respondents should be aware that notwithstanding any other provision of law, no person shell be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

\*\*Please 90 NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT		C. CATEGORY: TOP TM OTHER X						
D. SYSTEM/ITEM		E. CONTRACT/PR N						4		
	rbox Assembly	L. COMINOINI II NO.								
DATA ITEM NO.	2. TITLE OF DATA ITEM	<del></del>			J. SUBTITLE	SUBTITLE				
A001						Configuration Ma				
4. AUTHORITY (Data Acquisition Document No.)			5. CONTRACT REFERENCE			6. NEQUINING OFFICE		18. ESTIMA TOTAL		
	CMAN-80639C	SOW 3.3			MCLB	1				
LT	9. DIST STATEMENT REQUIRED	10. FREQUEN				14. DISTRIBUTION	T			411
I. APP CODE	-	11. AS OF DA		See Blk 1  13. DATE OF SUBSEQUENT	-		-	b. COPIES		
A	A	11. 40 07 04		SUBMISSION		a. ADDRESSEE	Draft Reg Repro			
	1	<u> </u>				MCLBA (583-1)	0	1	0	, 
Blk 4 - Contra	ctor format submi	tted in .p	df or .doc form	nat is authorized.		MCLDA (363-1)	<del>                                     </del>		H	
Biks 10 & 12 - permanently at	ECPs shall be suffect the baseline	bmitted f	or all proposed guration item.	d changes which						1
	reviewed and dispersions.		-		s upon		-			
										1
nock 14: ECP	es shall be transmi figmngmnt@matc	om.usmo	z-mail to the formula	onowing address:			<b> </b>	-		
Distribution St	atement A: Appro	oved for l	Public Release	Distribution is			1			
Jiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii										1
							-	<u> </u>		i
							1	<u> </u>		
								<u> </u>		
								<u> </u>		
							1		<b></b>	1
							<del>                                     </del>			
										1
										}
							ļ			
							ļ			1
							<b>-</b>			
							-			· 
								-	$\vdash\vdash\vdash$	
							1		┢═┫	
			•	•			1			1
							1		lacksquare	
. PREPARED BY			U BATE	I ABBRUTT T	······································	15. TOTAL	0	1	0	1
2. PRETARED BY	a N	1	H. DATE	I. APPROVED B	' سر	11/1	J. DAT	_/		
Wan D.	~ (* / <i>[</i> ]	16	18 NOV C	9/	9_	12/	15	1.	<i>7)</i>	
SCALAR I VIC	1, AUG 96 (EG)			EVIOUS EDITION MAY BE		More	Y	and	Pages	1

# **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 heurs per response, including the time for reviewing instructions, searching existing data searces, gestering and maintaining the data assets completing and reviewing the collection of information. Send comments regarding this burden estimate or any other expect of this collection of information, including augmentures for redecing the burden, to Department of Defense, Washi Headquarters Services, Directorate for Information Deverates and Reports (0701-0188), 1215 Jefferson Devie Highway, Suits 1204, Arington, VA 22202-4932. Respondents should be aware that notwithstanding any other previous law, no person shell be subject to any penalty for failing to energy with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed to the Government Issuing Contracting Officer for the Contract/PR No. listed in Black E.

A. CONTRACT LINE ITEM NO.  D. SYSTEM/ITEM		B. EXHIBIT C. CATEGORY:  TOP TM STHER X									
		E. CONTRACT/PR NO.			F. CONTRACTOR						
Gear	rbox Assembly										\ 
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					Ì	17. PRICE GRO
A002		Request For Deviation					guration Mar	nageme	ent		:
4. AUTHORITY (Data Acquisition Document No.) 5. CONTRACT R			5. CONTRACT REFEREN	Œ	S. RESCHAIGS OFFICE					18. ESTIMATE	
	CMAN-80640C	SOW 3.3				MCLBA (583)					
7. DO 250 REQ LT	9. DIST STATEMENT REQUIRED		SREQ	12. BATE OF FIRST SUBMISSION See Blk 16		14. DISTRIBUTION	b. COPIES				
8. APP CODE		11. AS OF DA		13. DATE OF SUBSEQUENT		-	ADDRESSEE		Final		` <b>L</b>
A	<b>A</b>			SUBMISSION				Draft	Reg	Repro	
16. REMARKS Blk 4 - Contrac	tor format submi	tted in .p	df or .doc forn	nat is authorized.		MCLB	A (583-1)	0	1	0	
		_					·		-		
nonconforming	RFDs shall be su material which d	oes not n	neet prescribed	configuration	•	<del></del>		<del> </del>	<b> </b>		
									-		
receipt by the	eviewed and disp Government.	osiuon de	remined with	m 50 calendar da	ys upon						<sup>†</sup>
<u> </u>	s shall be transmi figmngmnt@matc								<u> </u>		
						-			-		il
Distribution Sta Unlimited.	atement A: Appro	ved for I	Public Release;	Distribution is					<b> </b>		
Ommitted.											
											1
									<u> </u>		<sub>i</sub>
								t	<b></b>	$\vdash$	1
											ĺ
						<b></b>		ļ	<b>_</b>		
						-					
						<b>-</b>			,		. ' 
											H
						<u></u>			·		
								-			1
									<u> </u>		
								<del>                                     </del>			1
			•								[
									ļ		
l									<b> </b>		li
						<u> </u>			ļ		
						<b></b>		-	-		1
						15. TOTAL		0	1	0	
G. PREPARED BY	. 1	,	H. DATE	I. APPROVED	IY _	/1/		J. DAT		Ť	1
Want-	1 1/1.		18 Abile					15		77	i
MIMIL	( Var	0	70700	11/2/2	(-/	De	//	1/2	M	$\nu$	Fl
<b>~</b> DØ FORM 1423-1	1, AUG 96 (EG)		PR	EVIOUS EDITION MAY BI	USED.		Designed	Page using Perform	Of	Pages DIOR, Aus 98	r .